

Voluntary Product Accessibility Template (VPAT®) 2.5

WCAG 2.2 Level AA conformance for all 56 success criteria — generated from an automated axe-core audit and a tracked manual review, never hand-typed.

Conformance summary

- Product:** CMDash
- Conformance target:** WCAG 2.2 Level AA
- Report date:** 2026-10-09
- Evaluation methods:** Automated testing (axe-core 4.13.0) over 133 routes; manual evaluation of criteria axe-core cannot judge, tracked separately.
- Status counts:** Supports: 15 · Not Evaluated: 34 · Not Applicable: 7

34 of 56 criteria are honestly reported as “Not Evaluated” rather than assumed to pass — this report never marks an unreviewed criterion as “Supports”. See [/accessibility](#) for the always-current statement and known-issue detail, and [/compliance/vpat.md](#) for the plain-markdown source this table is generated from.

Table 1: Success Criteria, Level A

Success Criterion	Level	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content	A	Supports	Automated (axe-core 4.13.0, rule(s): aria-name, aria-progressbar-name, image-alt, image-alt, object-alt, role-img-alt, svg-alt) Zero violations across every audited route. The rule applied.

SUCCESS CRITERION	LEVEL	CONFORMANCE LEVEL	REMARKS AND EXPLANATIONS
1.2.1 Audio-only and Video-only (Prerecorded)	A	Not Evaluated	No prerecorded audio-only or video-only relationships on the audited routes today; conduct each release and re-evaluate if any is
1.2.2 Captions (Prerecorded)	A	Supports	Automated (axe-core 4.13.0, rule(s): video-caption). Zero violations across every route where the rule applied.
1.2.3 Audio Description or Media Alternative (Prerecorded)	A	Not Evaluated	Applies to the product-walkthrough video /demo; needs a manual check for an audio-described track or a text alternative.
1.3.1 Info and Relationships	A	Supports	Automated (axe-core 4.13.0, rule(s): aria-body, aria-required-children, aria-required-parent, definition-list, dlitem, list, listitem, headers-attr, th-has-data-cells). Zero violations across every audited route where the rule applied.
1.3.2 Meaningful Sequence	A	Not Evaluated	Requires reading each route's DOM in its visual order with CSS disabled; axe-core that judges sequence meaning.
1.3.3 Sensory Characteristics	A	Not Evaluated	Requires a manual read of instructions: 'shape/position/sound-only reference the button on the right').
1.4.1 Use of Color	A	Supports	Automated (axe-core 4.13.0, rule(s): list-block). Zero violations across every audited route where the rule applied.
1.4.2 Audio Control	A	Not Applicable	Automated (axe-core 4.13.0, rule(s): no-audio) — the rule never matched applied content on any audited route.
2.1.1 Keyboard	A	Supports	Automated (axe-core 4.13.0, rule(s): focusable-content, scrollable-region-focusable, server-side-image-map). Zero violations across every audited route where the rule applied.

SUCCESS CRITERION	LEVEL	CONFORMANCE LEVEL	REMARKS AND EXPLANATIONS
2.1.2 No Keyboard Trap	A	Not Evaluated	ROADMAP-V80 J8 added automated tests for e2e/portal/keyboard.spec.ts drives the nav's dropdown (Escape closes, focus returns to the trigger) and e2e/keyboard-dashboard.spec.ts drives the command palette and one of the Tab + 5 Shift+Tab presses must all stay on the panel, Escape closes, focus returns to the invoking button), both in light and dark themes. No evidence for the surfaces it covers, No evidence for every dialog in the product — the dashboard is dozens built on the same primitive and the others are not. Status stays Not Evaluated until a human has walked the rest.
2.1.4 Character Key Shortcuts	A	Not Evaluated	Requires a manual inventory of any significant character keyboard shortcuts (e.g. a command palette trigger) and confirming each can be turned off, remapped, or is active only when needed.
2.2.1 Timing Adjustable	A	Not Applicable	Automated (axe-core 4.13.0, rule(s): no-reflow) — the rule never matched any content on any audited route.
2.2.2 Pause, Stop, Hide	A	Not Applicable	Automated (axe-core 4.13.0, rule(s): no-blink) — the rule never matched any content on any audited route.
2.3.1 Three Flashes or Below Threshold	A	Not Evaluated	Requires a manual review of any animations (loading states, chart transitions) for flash frequency. axe has no rule that measures flash frequency.
2.4.1 Bypass Blocks	A	Supports	Automated (axe-core 4.13.0, rule(s): no-aria-hidden) — Zero violations across every audited route where the rule applied.
2.4.2 Page Titled	A	Supports	Automated (axe-core 4.13.0, rule(s): no-title) — Zero violations across every audited route where the rule applied.
2.4.3 Focus Order	A	Not Evaluated	ROADMAP-V80 J8's keyboard specs require that focus never falls to <body> partway through either app's header/sidebar, that the

SUCCESS CRITERION	LEVEL	CONFORMANCE LEVEL	REMARKS AND EXPLANATIONS
			the FIRST tab stop and moves focus in landmark, and that closing the market menu returns focus to its trigger. One FAILURE is recorded executably rather than prose: closing components/ui/Dialog.ts Escape leaves focus on <body> instead of invoking button (e2e/keyboard-dashboard.spec.ts, 'a dialog returns focus to button that opened it', marked test.failure). Confirming order matches the VISUAL order on each audited route is still a high priority.
2.4.4 Link Purpose (In Context)	A	Supports	Automated (axe-core 4.13.0, rule(s): aria-name). Zero violations across every audited route where the rule applied.
2.5.1 Pointer Gestures	A	Not Evaluated	Requires a manual inventory of any multipoint/path-based gesture (none found yet) and a single-pointer alternative for each.
2.5.2 Pointer Cancellation	A	Not Evaluated	Requires a manual check that click/tap on up-event, not down-event, and can be aborted by dragging away before release.
2.5.3 Label in Name	A	Not Evaluated	axe's label-content-name-mismatch rule catches this but ships disabled by default in axe-core; requires enabling it manually or a handwritten icon-button accessible names against labels.
2.5.4 Motion Actuation	A	Not Applicable	No feature responds to device motion (shake-to-undo and similar); each release.
3.1.1 Language of Page	A	Supports	Automated (axe-core 4.13.0, rule(s): html-lang, html-lang-valid, html-xml-lang-mismatch). Zero violations across every audited route where the rule applied.
3.2.1 On Focus	A	Not Evaluated	Requires a manual Tab traversal configuration; each element triggers a context change upon receiving focus.

SUCCESS CRITERION	LEVEL	CONFORMANCE LEVEL	REMARKS AND EXPLANATIONS
3.2.2 On Input	A	Not Evaluated	Requires a manual review of every form field confirming no field triggers a context menu purely on value change, without a sub-menu.
3.2.6 Consistent Help	A	Not Evaluated	New in WCAG 2.2; no axe-core 4.13 rule yet. Requires confirming any help/content mechanism appears in the same relative position every route that offers one.
3.3.1 Error Identification	A	Not Evaluated	Requires a manual review of every form state confirming errors are identified by color alone.
3.3.2 Labels or Instructions	A	Supports	Automated (axe-core 4.13.0, rule(s): form-multiple-labels). Zero violations across every audited route where the rule applied.
3.3.7 Redundant Entry	A	Not Evaluated	New in WCAG 2.2; no axe-core 4.13 rule yet. Requires confirming multi-step flows (onboarding, registration) never re-ask for information already supplied in the same flow.
4.1.1 Parsing	A	Not Applicable	Removed from WCAG 2.2 (formerly "Input Parsing") retained here for continuity with prior versions. Not required for WCAG 2.2 AA conformance.
4.1.2 Name, Role, Value	A	Supports	Automated (axe-core 4.13.0, rule(s): aria-allowed-attr, aria-braille-equivalent, aria-command-name, aria-conditional-attr, deprecated-role, aria-hidden-body, aria-focus, aria-input-field-name, aria-prohibited-aria-required-attr, aria-roles, aria-tab-toggle-field-name, aria-tooltip-name, attr-value, aria-valid-attr, button-name, id-aria, frame-title-unique, frame-title, button-name, input-image-alt, label, list-nested-interactive, select-name, summary). Zero violations across every audited route where the rule applied.

Table 2: Success Criteria, Level AA

SUCCESS CRITERION	LEVEL	CONFORMANCE LEVEL	REMARKS AND EXPLANATIONS
1.2.4 Captions (Live)	AA	Not Applicable	No live audio/video content is published on the audited route.
1.2.5 Audio Description (Prerecorded)	AA	Not Evaluated	Same /demo walkthrough video as 1.2.4 manual check for an audio-description
1.3.4 Orientation	AA	Not Evaluated	axe's css-orientation-lock rule exists but is disabled by default in axe-core 4.13; requires a manual portrait/landscape check on a
1.3.5 Identify Input Purpose	AA	Supports	Automated (axe-core 4.13.0, rule(s): autocomplete-valid). Zero violations across every audited route where the rule applied.
1.4.3 Contrast (Minimum)	AA	Supports	Automated (axe-core 4.13.0, rule(s): color-contrast). Zero violations across every route where the rule applied.
1.4.4 Resize Text	AA	Supports	Automated (axe-core 4.13.0, rule(s): min-viewport). Zero violations across every route where the rule applied.
1.4.5 Images of Text	AA	Not Evaluated	Requires a manual sweep for text baked into raster images (logos and brand marks) across the audited routes.
1.4.10 Reflow	AA	Not Evaluated	Requires manually resizing the viewport to CSS width per route and confirming no scroll or lost content.
1.4.11 Non-text Contrast	AA	Not Evaluated	Covered in part by scripts/a11y/check-contrast and apps/portal/test/a11y/token-contrast which since ROADMAP-V80 J8 also as border-active (the focus ring and the border) at WCAG's 3:1 non-text threshold on each surface. Both still check colour values rendered boundaries; a manual pass covers form-field borders and focus indicators owed.

SUCCESS CRITERION	LEVEL	CONFORMANCE LEVEL	REMARKS AND EXPLANATIONS
1.4.12 Text Spacing	AA	Supports	Automated (axe-core 4.13.0, rule(s): a spacing). Zero violations across every route where the rule applied.
1.4.13 Content on Hover or Focus	AA	Not Evaluated	Requires manually triggering every tool (Tooltip, InfoTip — V71 A9/F3) and confirming dismissible, hoverable and persistent (criterion).
2.4.5 Multiple Ways	AA	Not Evaluated	Requires confirming each page is reachable more than one path (nav + sitemap + search) where more than one process step exists.
2.4.6 Headings and Labels	AA	Not Evaluated	Requires a manual read of heading/label descriptiveness; axe can confirm structure (1.3.1) but not whether wording is meaningful.
2.4.7 Focus Visible	AA	Not Evaluated	ROADMAP-V80 J8 widened this: both specs now assert a non-'none' outline shadow on every focus stop they walk. portal's /pricing, 20 across the dashboard in BOTH themes — which matters because ring is --v-green and that token differs. Still short of the criterion, which is even interactive element on every audited route stays Not Evaluated.
2.4.11 Focus Not Obscured (Minimum)	AA	Not Evaluated	New in WCAG 2.2; no axe-core 4.13 rule yet. Requires a manual check that a sticky header/footer never fully hides a focus element.
2.5.7 Dragging Movements	AA	Not Evaluated	New in WCAG 2.2; no axe-core 4.13 rule yet. Requires a manual inventory of drag interactions (if any) and a single-point alternative for each.
2.5.8 Target Size (Minimum)	AA	Not Evaluated	axe's target-size rule covers this but is disabled by default (experimental) in axe 4.13; requires enabling it manually or a measurement of small interactive targets (buttons, table row actions).

SUCCESS CRITERION	LEVEL	CONFORMANCE LEVEL	REMARKS AND EXPLANATIONS
3.1.2 Language of Parts	AA	Not Applicable	Automated (axe-core 4.13.0, rule(s): v the rule never matched applicable con audited route.
3.2.3 Consistent Navigation	AA	Not Evaluated	Requires comparing MarketingNav/MarketingFooter and the nav's relative order across every route appear on.
3.2.4 Consistent Identification	AA	Not Evaluated	Requires confirming repeated compon the same icon button) carry the same name everywhere they appear.
3.3.3 Error Suggestion	AA	Not Evaluated	Requires a manual review of every for validation copy for a correction sugges just an error flag.
3.3.4 Error Prevention (Legal, Financial, Data)	AA	Not Evaluated	Applies to checkout/billing changes and deletion; requires confirming each off confirm, or reversal step.
3.3.8 Accessible Authentication (Minimum)	AA	Not Evaluated	New in WCAG 2.2; no axe-core 4.13 r yet. Requires confirming /login and /re not require a cognitive function test (e transcribing a CAPTCHA) without an a password-manager autofill and magic- both count as accepted alternatives.
4.1.3 Status Messages	AA	Not Evaluated	Requires a manual screen-reader che toast/inline status messages (form suk confirmations, save indicators) use role=status/alert or aria-live rather tha visual change alone.

Notes on this report

This VPAT is generated by scripts/a11y/vpat.mjs from an automated axe-core crawl and is not a substitute for a full manual/expert accessibility audit. Axe-core's

own documentation states its automated ruleset finds roughly 30–50% of WCAG issues; every row above marked “Automated” reflects only what a machine can check, and every manually-tracked row is honestly “Not Evaluated” until a qualified human completes that review.

Questions about accessibility conformance?

Talk to us, or try it yourself.

support@cmdash.com